

Under-table crosscut saw - Rema



Under-table crosscut saw - Rema

HOU5.492



4kW



2004

Brand Rema

Model

Year 2004

Specifications

Voltage [V] 400V

Fuse [A] 16A

Spindle speed max. 2845rpm

Motor power 4kW

Power [kW] 4kW

Dimensions

Length 1000

Width 900

Height 1300

Weight



PNEUMATISCH DATEN		
NENNDRUCK	0.6	MPa
MAXIMALE DRUCK	0.8	MPa
LUFT BEDARF	0.2	m³/h




SÄGEBLATT Ø 500
LOCH FÜR SÄGEBLATT Ø 30 mm



REMA® AKTIENGESELLSCHAFT 11-440 RESZEL POLEN B.CHROBREGO 5 STR	
TYP	DMDK-50A
NR	227
BAUJAHR	21 4
STROMART	3 0
FREQUENZ	50 Hz
ARBEITSSPANNUNG	400 V
LEISTUNG	4.7 kW
NENNSTROM	9.5 A



STROMART	3 0
FREQUENZ	50 Hz
ARBEITSSPANNUNG	400 V
LEISTUNG	4.7 kW
NENNSTROM	9.5 A
Motor	SP75 210 Nr
Werk	U/min
cos φ	V
temp	°C
Baujahr	PN/El
MADE IN POLAND	



Havenweg 6
6603AS Wijchen

T: +31 6 57668226
E: Glenn@secondowner.com
W: <https://secondowner.com>

