

Onderliggende afkortzaag - Rema



Onderliggende afkortzaag - Rema

HOU5.492



2004

Merk Rema

Model

Bouwjaar 2004

Specificaties

Voltage [V] 400

Afzekering [A] 16

Vermogen [kW] 4.0

Afmetingen

Lengte 1000

Breedte 900

Hoogte 1300

Gewicht



PNEUMATISCH DATEN		
NENNDRUCK	0.6	MPa
MAXIMALE DRUCK	0.8	MPa
LUFT BEDARF	0.2	m³/h



SÄGEBLATT Ø 500
LOCH FÜR SÄGEBLATT Ø 30 mm




REMA® AKTIENGESELLSCHAFT 11-440 RESZEL POLEN B.CHROBREGO 5 STR	
TYP	DMDK-50A
NR	227
BAUJAHR	21 4
STROMART	3 0
FREQUENZ	50 Hz
ARBEITSSPANNUNG	400 V
LEISTUNG	4.7 kW
NENNSTROM	9.5 A



STROMART	3 0
FREQUENZ	50 Hz
ARBEITSSPANNUNG	400 V
LEISTUNG	4.7 kW
NENNSTROM	9.5 A
Motor	SP75 210 Nr
Werk	U/min
cos φ	V
temp	Hz
PN/El	Kl. isol

MADE IN POLAND



Havenweg 6
6603AS Wijchen

T: +31 6 57668226
E: Glenn@secondowner.com
W: <https://secondowner.com>

